

Artikelnummer:

152000-34

Produktbezeichnung:

Dachantenne AM/FM 56° Stabneigung DIN(m) passiv

Technische Spezifikationen:

Empfangsarten:	AM/FM
Anschluss:	
AM/FM:	DIN(m) / L = 37 cm
Frequenzbereich:	
AM:	150 kHz – 1710 kHz
FM:	87,5 MHz – 108 MHz
Montage:	
Einbauort:	Dach hinten
Bohrung rund:	15 mm
Bohrung quadrat:	14,5 mm x 14,5 mm
Stablänge:	41 cm
Stabneigung:	56°
Stabart:	16 V
Stabgewinde:	M5
Maße:	
Gesamthöhe:	37 cm
Antennenfuß:	L = 58 mm / B = 40 mm / H = 45 mm
Antennenfuß Gewinde:	M5

Produktfoto:



Part number:

152000-34

Product Name:

Roof antenna AM/FM 56° inclination DIN(m) passive

Technical specifications:

Reception Types: AM/FM

Connections:

AM/FM: DIN(m) / L = 37 cm

Frequency Range:

AM: 150 kHz – 1710 kHz

FM: 87,5 MHz – 108 MHz

Installation:

Installation point: roof rear

Drill hole round: 15 mm

Drill hole square: 14,5 mm x 14,5 mm

Rod length: 41 cm

Rod inclination: 56°

Rod type: 16 V

Rod thread: M5

Dimensions:

Total high: 37 cm

Antenna socket: L = 58 mm / W = 40 mm / H = 45 mm

Antenna socket thread: M5

Product photo:

